

Index

- ACF, 39
- Active/passive concept, 61
- Adaptive differential pulse code modulation, 177
- Adaptive turbo-coded OFDM-based videotelephony, 486–507
- Adaptive vector quantization, 100–102
- Adaptive video systems, 459–628
- Adaptive VQ, 100
- ADPCM, 177
- Affine transformation, 21
- Algorithmic complexity, 103–104
- Aliasing distortion, 185
- AMR, 66, 70, 92
- Analysis filtering, 185–188
- Antenna diversity, 361–363
- AOFDM modem mode adaptation and signaling, 487–488
- AOFDM subband BER estimation, 488
- Architecture of system 1, 109–111
- Architecture of system 2, 111–112
- Architecture of systems 3–6, 112–113
- Arithmetic coding, 311, 312
- ARQ, 16, 73, 257, 287, 290, 291, 293, 341, 357–359, 367, 370, 371
- Automatic repeat request, 79–80, 257, 341
- AV.26M, 340
- AVC, 14
- AVQ, 100
- AWGN, 71, 403, 404

- B-Codes, 220
- Basic differential pulse code modulation, 173–175
- BbB, 18
- BbB-AQAM, 16
- BER, 404
- Bidirectional coding, 13
- Bit sensitivity, 71, 106–107, 157–158
- Bit sensitivity of codec I and II, 71–73
- Bit-allocation, 155–157, 229–230
- Bit-allocation strategy, 67–68, 105–106

- Bitrate, 403, 452
- Bitstream, 410
 - DCT parameters, 452
 - Hierarchical, 437
 - Parameters, 445, 451, 452, 454
 - Parameters index, 451
 - Start code, 440
 - Start code list, 440
 - Start code prefix, 440
 - VO parameters, 451
 - VOL parameters, 451
 - VOP parameters, 451
- Blind equalizers, 608–611
- Block truncation algorithm, 177–179
- Block truncation codec implementations, 180
- Block Truncation Coding (BTC), 177–183
- BTC, 177
 - Algorithm, 177
 - Implementation, 180
 - Inter-coding, 182
 - Intra-coding, 180
 - Performance-intra, 182, 183
 - Quantizers, 180, 181
 - Upper bounds (Intra), 179, 183
- Burst-by-burst adaptive videophone system, 480–485

- Camera shake, 310
- CCITT, 8
- CDMA
 - JD-CDMA, 16, 18
- Channel coding and modulation, 158–159
- Choice of modem, 73–74
- Choice of modulation, 107–108
- Chrominance, 5
- Classified vector quantization, 102–103
- Classified VQ, 102
- Codebook design, 93–95
- Codec outline, 58–60
- Codec performance, 230–232

- Coded Modulation, 18
- Combined source/channel coding, 257, 342
- Comparison
 - Bitrate, 167, 168
 - Error sensitivity, 169
 - Performance, 168
- Comparison of subband-adaptive OFDM and fixed-mode OFDM transceivers, 489–493
- Complex quadrature mirror filters, 191
- Complexity considerations and reduction techniques, 65–66
- Contractive affine transforms, 21
- Cost/gain, 59
- C_{r_u} , 5
- C_{r_v} , 5
- CVQ, 102

- Data compression, 1
- Data partition, 443, 445
 - DCT data, 445
 - Motion data, 445
- Data partitioning scheme, 576–581
- DCT, 8, 35, 205, 383, 392, 397, 409, 415, 441
 - B-encoded, 221
 - Bit-allocation, 67, 230
 - Codec
 - Active/passive, 61, 62
 - Bit sensitivity, 71, 72
 - Bit-allocation, 67
 - Complexity, 65
 - Cost gain controlled, 64
 - Degradation profile, 72
 - Erroneous conditions, 70
 - Error sensitivity, 73
 - Gain controlled, 60
 - Intra-block sizes, 60
 - Intra-frame, 60
 - Performance, 68
 - PFU degradation, 64
 - Preselection, 66
 - Results, 68
 - Results – “Lab” sequence, 69, 70
 - Results – “Miss America” sequence, 69
 - Codec outline, 58
 - Codec schematic, 59
 - Complexity, 233
 - DCT coefficients, 15, 392, 410
 - AC coefficients, 392
 - DC coefficients, 392
 - Efficiency
 - Inter, 219
 - Intra, 218
 - Error sensitivity, 233, 234
 - Integer Transform, 415
 - 4×4 integer transform, 416
 - Example, 421
 - Inter frame, 215
 - Inter/Intra codec, 226
 - Inter/Intra decision, 226
 - Intra bit-allocation, 209
 - Intra performance, 210
 - Introduction, 205
 - Multiclass, 58
 - Optimum mask, 208
 - Performance, 230, 231
 - Erroneous conditions, 232, 233
 - PFU, 63
 - Proposed codec, 224
 - Quantizer allocation, 56, 57
 - Quantizer training, 55, 205
 - Quantizer types, 58
 - Schematic, 224
 - Single class, 55
 - Zonal mask, 206
- DCT basis images, 53
- DCT codec performance under erroneous conditions, 70–73
- DCT codecs, 35
- DCT coefficients, 409, 445
- DCT-based low-rate video transceivers, 73–80
- De-blocking filter, 427
- Decimated signals, 185
- Decomposition algorithmic issues, 145–148
- DECT, 362, 364–366
- DECT channels, 364–366
- DECT frame structure, 364
- Degradation, 15
- DFD, 39
- Differential pulse code modulation, 173–177
- Distance measures, 40–42
- Domain block, 22
- DPCM, 8, 173, 177
 - Adaptive, 177
 - ADPCM-performance, 178
 - Basic, 173
 - Inter/Intra, 175
 - PDF, 175
 - Performance, 176
 - Schematic, 174
- DVB satellite scheme, 605–607
- DVB terrestrial scheme, 572–574
- DVB-T for mobile receivers, 560–604
- DVD, 12

- Energy compaction coefficient, 217
- Enhanced QT codec, 153–154
- Entropy coding
 - CABAC, 423, 424
 - UVLC, 423
- EREC, 340
- ERPC, 169
- Error control background, 255
- Error control mechanisms, 255
- Error correction coding, 275
- Error mechanisms, 253

- Error resilient, 441, 442
 - Data recovery, 441
 - Error concealment, 441, 442
 - Resynchronization, 441–443
 - Resynchronization marker, 442, 443, 447
 - Synchronization, 443, 444
- Error sensitivity and complexity, 32–34, 233–235
- EXIT charts, 545
- Extrinsic information transfer charts, 545
- Eye and mouth detection, 149–151
- FAW, 65, 157, 227
 - Autocorrelation, 230
 - Data-emulating probability, 229
- FDD, 367
- FEC, 16, 73, 169, 273, 275, 284, 286, 287, 345, 441
- FER performance, 84–86
- FIFO, 101
- First-order intensity match, 144–145
- Forced updating, 63
- Forward error correction (FEC), 75, 109
- Fractal codec design, 27–28
- Fractal codec performance, 28–32
- Fractal encoding, 21
 - Affine transformation, 21, 22
 - Bit sensitivity, 33
 - Bit-allocation, 33
 - Block types, 30
 - Codec comparison, 29
 - Codec design, 27
 - Collage theorem, 27
 - Complexity, 32
 - Conclusion, 34
 - DB-RB mapping example, 23
 - Domain block (DB), 22
 - Error sensitivity, 32, 34
 - IFS
 - Encoding, 26
 - Example, 26
 - Example decoding, 27
 - Iterated function system (IFS), 23
 - Iterative reconstruction, 32
 - One-dimensional, 24
 - One-dimensional example, 25
 - PDF, 29
 - Performance, 28, 31
 - Principles, 21
 - Random collage theorem, 23
- Fractal image codecs, 21–34
- Fractal principles, 21–23
- Frame alignment, 227–229
- Frame-differencing, 240
- Full or exhaustive motion search, 42–43
- Gain-controlled motion compensation, 60–61
- Gain-cost-controlled motion compensation, 46–48
- Gain/cost-controlled inter-frame codec, 64–66
- Gaussian channels, 283, 287–291, 356–359
- GOB, 443, 444
- GPRS, 17
- Gradient constraint equation, 44
- Gradient-based motion estimation, 43–44
- Grid interpolation techniques, 49
- H.261
 - Bitrate adjustment, 273
 - Block diagram, 240, 296
 - Block layer, 247–249
 - Coded block pattern, 247, 248, 261, 262, 302
 - Coding control, 242
 - Comparison with H.263, 295–337
 - Effects of errors, 259
 - End of block marker, 247, 249, 262
 - Error degradation
 - Inter, 265, 266, 268–272
 - Intra, 263, 264
 - Motion vectors, 268, 270
 - Quantizer, 267–269
 - Error recovery, 258
 - Errors in inter blocks, 264
 - Errors in intra blocks, 263
 - Extra data bits (GSPARE), 246, 247, 260, 262
 - Extra data bits (PSPARE), 245, 260, 262, 264, 267
 - Extra insertion bit (GEI), 246, 247, 260, 262
 - Extra insertion bit (PEI), 245, 260, 262–264, 266, 271
 - Frame divided into GOBs, 246
 - GOB index, 245, 246, 260, 262–264, 266, 267, 271
 - GOB quantizer, 245, 246, 260, 262, 263, 267, 268, 271, 272, 275, 301
 - GOB start code, 245, 246, 259, 260, 262
 - Group of blocks, 244, 245
 - Group of blocks layer, 245, 246
 - Hierarchical structure, 244
 - Intra DC parameters, 261, 262
 - Macroblock, 240, 247
 - Macroblock address, 247, 248, 261–264, 266, 267, 301, 302
 - Macroblock layer, 247, 248
 - Macroblock motion vector, 247, 248, 261, 262, 269, 301, 302
 - Macroblock quantizer, 245, 247, 248, 261, 262, 267, 275, 301, 302
 - Macroblock size, 274, 276, 277, 286
 - Macroblock type, 247, 248, 261, 262, 266, 267, 269, 301, 302
 - Motion compensation, 239, 240, 247, 248, 261, 269, 295, 306
 - Overview, 239
 - Performance, 319–322
 - Picture layer, 244, 245
 - Picture layer header, 244
 - Picture start code, 244, 245, 259, 262
 - Picture type word, 245, 259, 260, 262

- Pixel sampling, 241
- Qualitative error effects, 259
- Quantitative error effects, 262
- Quantizers, 243, 274
- Run-length coding, 249, 250
- Source encoder, 240, 241
- Statistics, 250
- Temporal reference, 245, 260, 262
- Transform coefficients, 247, 249, 262
- Transmission coder, 250
- Video multiplex coder, 243
- Video-coding standard, 239–253
- Videophone system, 272–294
- Zig-zag run-length coding, 249
- H.261 performance, 319–322
 - Comparison to H.263, 322–325
 - Fixed bitrate, 321
 - Fixed PSNR, 321
 - PSNR versus bitrate, 319
 - PSNR versus compression, 320
- H.261/H.263 comparison, 295–337
 - Coding algorithms, 297–317
 - Conclusions, 335
 - Introduction, 295
 - Motion compensation, 306–308
 - Overview, 295
 - Performance, 322–325
 - Fixed bitrate, 324
 - Fixed PSNR, 323
 - PSNR versus bitrate, 323
 - PSNR versus compression, 324
 - Results, 318–335
 - Source encoder, 297–298
 - Video multiplex coder, 298–306
- H.263, 222, 232
 - 16CIF format, 296, 297, 299
 - 4CIF format, 296, 297, 299
 - Advanced prediction, 296, 298, 312–315
 - Bidirectional prediction, 318
 - Bilinear interpolation, 308
 - Bit stuffing, 300
 - Bitrate control, 343
 - Block diagram, 296
 - Block layer, 305
 - CBPB coding parameter, 304
 - CBPY coding parameter, 304
 - CIF format, 296, 297, 299
 - COD coding parameter, 302, 305
 - Coded block pattern
 - B-Blocks, 304
 - Chrominance, 302, 305
 - Luminance, 304
 - Coded macroblock indicator, 302, 305
 - Coding algorithms, 297
 - Coding control, 298
 - Comparison with H.261, 295–337
 - Differential quantizer, 304, 305
 - DQUANT coding parameter, 304, 305
 - Four motion vectors per MB, 313, 314
 - GOB frame ID, 301
 - GOB index, 300, 301
 - GOB quantizer, 301
 - GOB start code, 300, 301
 - GOB structure, 299
 - Group of Blocks layer, 300
 - Half-pixel interpolation, 308
 - Half-pixel motion vectors, 308
 - In a mobile environment, 339
 - Macroblock layer, 301, 302
 - Macroblock layer quantizer, 304, 305
 - Macroblock mode (B-Blocks), 304
 - Macroblock motion vector, 304, 305
 - Macroblock type, 302, 305
 - MCBPC coding parameter, 302, 305
 - MODF coding parameter, 304
 - Motion compensation, 295, 297, 306, 307
 - Motion vector (B-Blocks), 305
 - Motion vector predictor, 307, 308
 - Motion vectors, 307
 - MVD coding parameter, 304, 305
 - MVDB coding parameter, 305
 - Negotiable options, 296, 309
 - Overlapped motion vectors, 313, 315
 - P-B mode, 296–298, 305, 315, 316, 318
 - Performance, 325–335
 - Picture layer, 300
 - Picture layer quantizer, 300
 - Picture start code, 300
 - Picture type word, 300
 - Prediction, 297
 - QCIF format, 296, 297, 299
 - Quantization, 298
 - Run-length coding, 306
 - Source encoder, 297
 - SQCIF format, 296, 297, 299
 - Syntax-based arithmetic coding, 296, 310
 - Temporal reference, 300
 - Transform coding, 298
 - Unrestricted motion vectors, 296, 298, 309
 - Video multiplex coder, 298
 - Video-coding standard, 295–337
 - Videophone system, 343–377
 - Wireless problems, 339
 - Wireless solutions, 340
 - Zig-zag run-length coding, 306
- H.263 performance, 325–335
 - 4CIF, 16CIF, 335
 - Comparison to H.261, 322–325
 - Different resolutions, 328–335
 - Fixed bitrate, 328, 330, 333, 335
 - Fixed PSNR, 327, 330, 332, 334
 - Gray versus color, 325–328
 - PSNR versus bitrate, 326, 329, 331, 333, 336
 - PSNR versus compression, 327, 329, 331, 334, 336
 - QCIF comparison, 328

- SQCIF, QCIF, 4CIF, 332–335
- SQCIF, QCIF, CIF, 328–332
- Video sequences, 325
- H.264, 407
 - Decoder block diagram, 409
 - Encoder block diagram, 408
 - Inter frame prediction, 412
 - Intra frame prediction, 410
 - 16 × 16 description, 412
 - 16 × 16 diagram, 412
 - 4 × 4 description, 411
 - 4 × 4 diagram, 411
- HDTV, 379
- Header Extension Code, 447
- Hierarchical OFDM DVB performance, 595–604
- Hierarchical or tree search, 44–45
- Hierarchical search, 44
- High-resolution DCT coding, 205–235
- High-resolution image coding, 171–236
- Huffman coding, 1

- Image block, 391
- Image resolution
 - CIF, 11, 12, 381
 - QCIF, 11, 381, 386, 443, 452
- Initial intra-frame coding, 60
- Inter coding, 390
 - coding sequence, 390
 - error, 452
- Inter-frame, 17
- Inter-frame block truncation coding, 182–183
- Inter-frame correlation, 212
- Inter-frame DCT coding, 215–223
- Inter/Intra-DCT codec, 226–227
- Interlacing, 2
- Interpolation, 185
- Intra coding, 390
 - coding sequence, 390
 - error, 452
- Intra-frame, 16
- Intra-frame block truncation coding, 180–181
- Intra-frame coding, 60, 256, 341
- Intra-frame correlation, 216
- Intra-frame quantizer training, 205–209
- Intra/Inter-frame differential pulse code modulation, 175–176
- Irregular variable-length codes (IRVLC), 545
- ISO, 379
- Iterated function system, 22
- ITU, 11
 - H.261, 11
 - H.263, 12, 443
 - H.263++, 13
- ITU (International Telecommunication Union), 35

- Joint motion compensation and residual encoding, 222–223
- JPEG, 8, 200
- JVT, 14

- Leakage factor, 63
- Local decoder, 37
- Low-complexity techniques, 173–203
- Luminance, 5

- Macroblock (MB), 391, 409, 443–445, 451
 - Diagram, 392
 - MB coefficients, 409
- MAD, 41
- Max–Lloyd-based subband coding, 197–202
- MC, 37
- MC in the transform domain, 50
- MC using higher order transformations, 49–50
- MCER, 35, 202, 298, 317, 409, 415
- MCER active/passive concept, 61–63
- Mean absolute difference, 41
- Mean and shape gain vector quantization, 99–100
- Mean squared error (MSE), 40
- Model-based parametric enhancement, 148–153
- Modulation
 - BPSK, 404
- Motion compensation, 35, 37, 209, 225–226
 - ACF, 41
 - Algorithm comparison, 46
 - Comparison, 213
 - Conclusion, 50
 - Distance measures, 40, 43
 - Example, 40
 - Exhaustive motion search, 42
 - Frame difference, 36
 - Full search, 42
 - Gain cost controlled, 46
 - Gradient based, 43
 - Grid interpolation, 49
 - Grid interpolation example, 50
 - Higher order, 49
 - In transform domain, 50
 - Inter-frame correlation, 212
 - Joint, 222, 223
 - MCER entropy, 47
 - MV bitrate, 48
 - MV correlation (Inter), 214
 - MV correlation (Intra), 214, 215
 - Other techniques, 48
 - Pel recursive, 49
 - Post-processing, 46
 - Principle, 37
 - Schematic, 39
 - Search algorithms, 42
 - Search techniques, 212
 - Simple codec, 36
 - Subsampling search, 45
 - Tree search, 44, 45
 - Motion compensation (MC), 11, 12, 15, 383, 384, 392

- Motion compensation for high-quality images, 209–215
- Motion estimation techniques, 48–50
- Motion search algorithms, 42–48
- Motion vector (MV), 15, 38, 46, 384, 392
- Motivation and video transceiver overview, 473–476
- MPEG, 17, 345, 379
 - MPEG-1, 11
 - MPEG-1+, 12
 - MPEG-2, 12
 - MPEG-3, 12
 - MPEG-4, 13, 379
 - BIFS, 438
 - Bit sensitivity, 448
 - Bitsream structure, 437
 - Bitsream, 388, 439, 443
 - Content based, 380, 387
 - Decoder block diagram, 383, 393
 - Elementary stream, 383
 - Encoder block diagram, 383, 393
 - Flexmuxed stream, 383
 - Functionalities, 379
 - Object based, 384, 387
 - Resynchronization, 444
 - Scalability, 396
 - Shape encoding, 393
 - shape encoding, 394
 - Standardization, 379
 - Synchronization layer, 383
 - Tools, 380
 - Transmux stream, 384
- MPEG-2 bit error sensitivity, 561–571
- MPEG-X, 207
- MPEG2, 297
- MSE, 40, 399
- MSVQ, 99
- Multimode video system performance, 476–480
- Multiple modulations schemes, 341

- Nonhierarchical OFDM DVB performance, 592–595

- One-dimensional fractal coding, 24–32
- One-dimensional transform coding, 51–52

- Parametric codebook training, 151–152
- Parametric encoding, 152–153
- Partial forced update, 63–64
- PDC, 41
- PDF, 39
- Pel difference classification, 41
- Pel-recursive displacement estimation, 49
- Perfect reconstruction quadrature mirror filtering, 185–191
- Performance and considerations under erroneous conditions, 154–158
- Performance of system 1, 80–84
- Performance of system 2, 84–88
- Performance of systems 1 and 3, 114–115
- Performance of systems 2 and 6, 117–118
- Performance of systems 3–5, 88–89
- Performance of systems 4 and 5, 115–117
- Performance of the data partitioning scheme, 581–592
- Performance of the DVB satellite scheme, 611–623
- Performance summary of the DVB-S system, 618–623
- Performance under erroneous conditions, 105–107
- PFU, 63
- PIC, 18
- Pilot symbol-assisted modulation, 284
- Pixel, 8
- pixel, 391
- PNN, 94
- Post-processing of motion vectors, 46
- Practical QMF design constraints, 189–191
- Practical quadrature mirror filters, 191–195
- Predicted coding, 13
- Preface, xxi–xxiii
- Principle of motion compensation, 37–51
- Properties, 215
- Properties of the DCT transformed MCER, 215–222
- Proposed codec, 224–235
- Pseudo quantizer, 56
- PSNR, 42, 399
 - degradation, 452
 - performance, 87–88
- PSTN, 379

- QAM, 257
- QAM subchannels, 277
- QCIF, 35
- QMF, 185
 - Analysis-synthesis schematic, 186
 - Band-splitting, 186
- QMF design, 189
- QoS, 17
- QT codecs, 139
- QT decomposition, 139
- QT-based transceiver architectures, 159–162
- QT-based video-transceiver performance, 162–165
- QT-codec-based video transceivers, 158–162
- Quad-tree, 139
 - Algorithmic issues, 145
 - Bit sensitivity, 157
 - Bit-allocation, 155, 157
 - Bitrate, 146
 - Decomposition, 139, 140
 - Decomposition example, 140
 - Erroneous conditions, 154
 - Intensity match, 142
 - Comparison, 145
 - First order, 144
 - Zero order, 142
 - Introduction, 139
 - Nodes/leaves, 147

- Parametric enhancement, 148
 - Algorithm, 149
 - Bit-allocation, 153, 157
 - Codebook, 152
 - Codebook training, 151
 - Comparison, 156
 - Detection, 149
 - Encoding, 152
 - Example, 153
 - Performance, 156
 - Process example, 150
 - Schematic, 154
 - Template, 151
- PDF, 143
- Performance, 144, 148, 155
- Quantizer ranges, 144
- Regular decomposition, 140
- Segmentation, 142
- Quad-tree based codecs, 139–169
- Quad-tree decomposition, 139–142
- Quad-tree intensity match, 142–148
- Quadrature mirror filtering, 185
- Quadrature mirror filters, 185, 191
- Quality criterion, 225
- Quantizer, 392, 400, 409, 445
 - Quantizer step, 403
- Quantizer training for multi-class DCT, 55–58
- Quantizer training for single-class DCT, 55

- Random collage theorem, 23
- Range block, 22
- Rate distortion, 16
- Rayleigh channels, 283, 287, 289–291, 293, 356–359, 361–363
- Reconfigurable modulation schemes, 257, 341
- Reconfigurable videophone system, 272, 339, 343
- RGB, 5
- RL, 71
- RS, 16
- RTP, 384, 447
- Run-length based intra-frame subband coding, 195–202

- Satellite channel model, 607–608
- Satellite-based video broadcasting, 604–626
- Scalable coding, 16
- Search algorithms, 42
- Sensitivity-matched modulation, 75
- Simulation environment, 113–114
- Slot occupancy performance, 86–87
- SNR, 17, 42
- Source sensitivity, 75
- Source-matched transceiver, 74–80
- Spatial filtering, 240
- Subband coding, 183–195
 - 10 split band example, 194
 - Corrupted, 202
 - Dead zone, 198
 - Dead zone quantizer, 197
 - Error sensitivity, 201
 - Max–Lloyd based, 197
 - PDF, 196
 - Performance “Susie”, 200
 - Run-length based, 195
 - Split-band codec, 184
 - Split-band filters, 192, 193
 - Without quantization, 195
- Subband-adaptive OFDM transceivers having different target bitrates, 493–497
- Subsampling search, 45–46
- Summary of low-rate codecs/transceivers, 166–169
- Summary of QT-based video transceivers, 165–166
- Synthesis filtering, 188–189
- System 1, 74–77
- System 2, 77–80
- System concept, 74–75
- System performance, 80–89
- Systems 3–5, 80
- System performance, 113–118

- TDD, 367
- Terrestrial broadcast channel model, 574–575
- Test sequences, 4
- Texture, 390
- Time division multiple access (TDMA), 371
- Time-variant target bitrate OFDM transceivers, 497–504
- TMN5, 221
- Transform coding, 51–58
- Transform coding efficiency test, 216
- transmission error, 452
- Transmission format, 75–77
- Transmission over the symbol-spaced two-path channel, 612–617
- Transmission over the two-symbol delay two-path channel, 618
- Tree search, 44
- Two-dimensional transform coding, 52–55

- UEP, 16, 18
- UMTS-like videophone system, 473–485
- Universal access, 380

- Variable Length Code (VLC), 392
 - RVLC, 443, 447
 - RVLC diagram, 447
- Variable-length coding, 195, 441
- VCEG, 14
 - H.264, 14
 - H.26L, 14
- Vector quantization, 93
 - 127-entry codebook, 96
 - 16-entry codebook, 96
 - Adaptive, 100
 - Performance, 102
 - Schematic, 101

- Basic schematic, 97
- Bit sensitivity, 106–108
- Bit-allocation, 105, 106
- Classified, 102
 - Active/passive, 105
 - Complexity, 103
 - Performance, 104
 - Schematic, 103
- Codebook design, 93
- Codebook sizes, 99
- Design, 95
- Erroneous conditions, 105
- Introduction, 93
- MSVQ, 99
 - Performance, 101
 - Schematic, 100
- PDF, 94
- Performance, 98
- Vector quantizer design, 95–104
- Very low bitrate DCT codecs and multimode videophone transceivers, 35–92
- Very low bitrate VQ codecs and multimode videophone transceivers, 93–138
- Video
 - Frame rate, 8
 - Block, 8
- Video codec outline, 35–37
- Video coding standard, H.261, 239–253
- Video communications, 15
- Video compression, 1
- Video compression and transmission aspects, 488
- Video formats, 2–5
- Video object
 - Video Object (VO), 385, 386, 389, 441, 451
 - Video Object Layer (VOL), 386, 387, 451
 - Video Object Plane (VOP), 386, 389, 390, 394, 398, 440, 451
 - Video object scene, 384
- Video quality measure, 398
 - Objective measure, 399
 - Subjective measure, 398
- Video sequence
 - Akiyo, 394, 400, 403
 - Foreman, 400, 428
 - Miss America, 394, 400, 401, 428
 - Suzi, 428
- Video systems based on proprietary video codecs, 21–171
- Video systems based on standard video codecs, 239–629
- Video transmission, 15
- Videophone system, 272, 339, 343
- VLC, 195, 215
- VQ, 8, 93
- VQ-based low-rate video transceivers, 107–113
- Wireless videophone, 272–294, 343–377
 - ARQ, 341, 371
 - Bitrate adjustment, 273
 - Bitrate control, 343
 - Combined source/channel coding, 342
 - Conclusions, 376
 - Encoding history, 278, 279, 347, 348
 - End of frame effect, 281
 - Error correction coding, 275
 - Error resilience, 273
 - Error-free performance, 288, 354, 355
 - Features, 292, 343, 353
 - Feedback channel, 273, 282
 - Frame errors versus channel SNR, 358, 361
 - Gaussian channels, 360
 - H.261/H.263 comparison, 359, 360
 - Intra-frame coding, 341
 - Macroblock compounding, 279–284
 - Macroblock truncation, 282–284
 - Modulation schemes, 285, 287
 - Objectives, 273
 - Packet size, 287
 - Packet structure, 346, 347
 - Packetization, 273, 278, 346, 349
 - Packetization algorithm, 349, 350
 - Packetization examples, 349
 - Performance, 283, 286, 287, 292, 352–354, 360–362, 365, 366, 369
 - Performance over DECT channels, 362, 365, 366
 - Performance versus channel SNR, 290, 291, 293, 356, 357, 359, 363
 - Performance with antenna diversity, 361–363
 - Performance with errors, 288, 354–356
 - Problems, 339
 - PSNR versus channel SNR, 360
 - Rayleigh channels, 360
 - Reconfigurable, 273
 - Reconfigurable modulation, 341
 - Resynchronization, 273
 - Solutions, 340
 - Subchannel equalization, 277
 - Switching levels, 366
 - System architecture, 283
 - System environment, 352
 - Transmission feedback, 282, 367–371, 375, 376
 - Majority logic codes, 369, 373, 374
 - Transmission feedback timing, 370
 - Use of ARQ, 257, 287, 290, 291, 293, 357–359, 371
 - Use of FEC, 273, 275, 286, 287, 345
- YUV, 5, 381, 391, 428
 - Chrominance, 391
 - Luminance, 391
 - YUV representation, 391
- Zero-order intensity match, 142–144
- Zig-zag, 392, 409, 445